Journal of AI for Humanity https://www.harrisonacademicpress.com/index.php/JAIH

Vol 1, Issue 1, 2026

UTILIZING DATA MINING AND NEURAL NETWORKS TO OPTIMIZE CLINICAL DECISION-MAKING AND PATIENT OUTCOME PREDICTIONS

Guman Singh Chauhan

John Tesla Inc, Covered California,

Sacramento, CA

gumanc38@gmail.com

ABSTRACT

Background: Clinical decision-making and predicting patients' outcomes are essential areas of healthcare. These areas require efficient tools to analyze complex medical data for accuracy and better outcomes. Data mining and neural networks might be able to find a solution by unearthing patterns and making accurate predictions.

Objectives: This integrates the techniques of data mining and neural networks to bring better clinical decisions and optimized strategies for treatment using higher predictive accuracy for better patients' outcomes for improving the health care delivery systems and well-being of patients.

Methods: Applying data mining algorithms and neural networks on health care datasets will be able to find patterns and predict outcomes that help optimize decision-making processes. The hybrid approach, therefore, is the combination of both methods that enhance predictive performance and clinical efficiency.

Results: From the findings presented above, it is evident that incorporation of neural networks in analysis of data mining results will improve predictive accuracy, precision, and recall in patient outcome, thereby promoting accurate and better clinical decision and treatment in health care. The present hybrids model is therefore stronger than either of the two models considered in isolation.

Conclusion: The approach towards making the clinical decisions in health care for obtaining the better quality is more robust when combining data mining with neural networks.

key word: Data mining, Neural networks, Clinical decision-making, Patient outcome prediction, Health care optimization, Machine learning.

1.INTRODUCTION

The healthcare sector is laden with patient-record information, diagnostic reports, treatments, and real-time monitored data. Inappropriate use of such information can prevent greater clinical decision-making and forecasting patient recovery. Data mining and neural networks are invigorating tools in healthcare, making solutions that vow improved patient care and reduced errors, as argued by Naga (2019) [1]. The research also identifies early detection and prediction of breast cancer relapse, with a special emphasis on machine learning algorithms. Poovendran (2019) [2] calls for threats identification in cloud environments, while Gudivaka (2019) [3] looks at big

data-driven predictions. Yang et al. (2019) [4] also look into phishing detection by deep learning with emphasis on the usefulness of machine learning in clinical decision-making.

Data mining entails the retrieval of useful information from intricate data sets, finding underlying relationships, and detecting predictive patterns to enhance clinical treatment regimens so that personalized care plans can be achieved. Peddi et al. (2018) [5] describe how geriatric care outcomes can be predicted using machine learning algorithms, whereas Narla et al. (2019) [6] examine cloud computing with healthcare and disease prediction. Dondapati (2019) [7] focuses on lung cancer prediction through deep learning, while Kethu (2019) [8] highlights customer relationship management for improving service quality through AI. These applications serve to illustrate the application of machine learning and data mining in promoting better healthcare results and decision-making.

Neural networks, a machine learning method, mimic the human brain to analyze and categorize data, which makes them extremely beneficial in healthcare for applications such as image analysis, disease prediction, and treatment optimization. Kadiyala (2019) [9] writes about the use of DBSCAN and fuzzy C-means in IoT data sharing in fog computing. Nippatla (2019) [10] points out AI-based blockchain usage in secure employee data management. Veerappermal Devarajan (2019) [11] emphasizes AI-based diagnosis for neurological diseases, whereas Natarajan (2018) [12] suggests hybrid optimisation methods for disease identification in healthcare. These developments illustrate the strength of neural networks in enhancing health care analytics and decision-making.

Concerns like data privacy, ethical issues, and the need for professional practice in applying AI technologies are at the core of healthcare. These issues will be tackled by healthcare professionals, data scientists, and policymakers to create best practices. Jadon (2018) [13] writes about streamlined machine learning pipelines for AI applications, while Nippatla (2018) [14] focuses on secure cloud-based financial analysis. Jadon (2019) [15] emphasizes incorporating particle swarm optimization for stable model optimization, and Jadon (2019) [16] also investigates improving AI-powered software for scalable decision-making. These advances emphasize the demand for a responsible, well-informed approach towards AI in healthcare that optimizes benefits for patients and providers.

The Key Objectives are

- Use data mining and neural networks to support clinical decision-making health care professionals in accurately determining evidence-based clinical decisions, by discovering patterns and relationships in patient data.
- Create predictive models to predict the course of disease and treatment response and time to recovery so that appropriate, customized care can be provided to patients.
- Apply neural networks in medical image processing and pattern classification to identify potential early disease biomarkers that allow for more accurate diagnosis and rapid response.

- Design treatment strategies that can be best used with the analysis of large datasets to make the appropriate selections of individualized interventions that give better outcomes to patients.
- Decrease redundancy in health care by eliminating nonessential tests, errors in diagnosis, and utilization of resources to decrease the cost of delivering care.

This article solves the issue of having precise estimates of heart disease risk using sophisticated data mining methods. EHDPS, the system, employs a multilayer perceptron neural network with backpropagation to make approximations of key variables including age, gender, blood pressure, cholesterol, and obesity. Boyapati (2019) [17] emphasizes the role of financial inclusion brought about through cloud IoT, while Yalla et al. (2019) [18] mention the implementation of cloud computing and big data. Jadon (2019) [19] investigates improving banking fraud detection using neural networks, and Natarajan et al. (2019) [20] suggest an intelligent decision-making framework for healthcare cloud adoption. These developments seek to enhance heart disease prediction models and improve clinical practice.

EHDPS system developed based on the neural networks to evaluate heart disease risk is interested mainly in the prediction based on the key parameters but does not include optimization approaches for better precision and advanced discretization techniques. Gudivaka et al. (2019) [21] discuss robot-controlled swarm intelligence for adaptive systems, whereas Sareddy and Hemnath (2019) [22] highlight federated learning towards cybersecurity. Ganesan et al. (2019) [23] examine the efficiency of genetic algorithms in cloud systems, and Bobba and Bolla (2019) [24] talk about the union of AI and blockchain in HRM for decentralized management. Blending sophisticated classification methods with multilayer perceptron neural networks can improve predictive accuracy and clinical utility.

2. LITERATURE SURVEY

This discussion from Shahid et al. 2019 [25] contains a comprehensive review on ANN in healthcare organizational decision-making applications. They filtered out the suitable studies falling within some specific range from articles spread across different disciplines from total articles from countries. A review of the different types of ANNs is presented-including feed-forward networks and hybrid models-and their accuracy levels. Most of the applications had targeted on very microlevel issues between the patients and the providers; there were fewer applications that targeted the meso- and macro-level decisions. This paper identifies the factors determining the adoption of ANN in healthcare, providing guidelines for further penetration and optimization into decision-making processes.

Lakshmanaprabu et al. (2019) [26] presented an IoT and cloud-based clinical decision support system to predict and monitor the levels of CKD severity through the collection of patient data gathered by IoT devices on the cloud and UCI repository records. The classifier used was a Deep Neural Network (DNN) for predicting CKD with an appreciable accuracy level. PSO has been used for feature selection to enhance performance. Results were verified based on benchmark CKD

datasets resulting in high performance classification with high specificity, accuracy, F-score, and kappa values.

Sudha [27] presented ASIC Decision Support System in **2017** with application-specific optimization of attribute selection of clinical datasets towards improving clinical decision-making. Preprocessing phase was used for dealing with irrelevant information, noisy data, and missing values by a rough set-based genetic algorithm. The reduct sets were applied for training and testing a backpropagation neural network classifier. It was evaluated with the ASIC system on breast cancer, fertility, and heart disease datasets from the UCI repository and showed superior performance compared with existing methods.

Singh et al. (2018) [28] suggest an efficient heart disease prediction system based on data mining approaches, illustrating how such techniques improve accuracy and reliability in clinical decision-making.

According to **Rady and Anwar (2019) [29],** the process of early detection and characterization significantly influences chronic kidney disease management. This research works towards illustrating data mining techniques capable of drawing clinically important inferences from laboratory data that aid the physicians in an accurate declaration of disease stages' severity. These techniques involve many algorithms like PNN, MLP, SVM, and RBF, etc. Findings showed that PNN surpassed all other models, giving superior classification with maximum predictive accuracy for optimized clinical decision-making and better patient outcomes in chronic kidney disease management.

Graham et al. (2018) [30] analyze the application of data mining for predicting emergency department hospital admissions through enhanced precision of resource allocation planning and decision making.

Ojha, U., and Goel, S. (2017) [31] apply data mining methods to predict breast cancer recurrence, showing how data mining increases accuracy in early detection and enhances clinical decision-making in cancer treatment.

Arabasadi et al. (2017) [32] put forward a neural network-genetic algorithm hybrid model for detecting heart disease and enhancing diagnostic performance by computer-aided decision support.

This work by **Albu et al. (2019**) [33] delves into the support of technology, especially Artificial Intelligence, for medical decision-making in scenarios as complicated as technical and human factors. The paper helps to describe the role of ANNs in model, predict, and decision-making within a healthcare system. The paper presents an Iterative Learning Control-based approach for training a feedforward ANN architecture, in batches; this is shown to bring improvement to clinical decisions and predict better outcomes in patients. The authors argue that despite being artificial, these intelligent models are useful for prevention, early detection, and personalized healthcare in support of both physicians and patients in the management of medical conditions.

Shirwaikar et al. (2019) [34] focus on optimizing neural network architectures for the prediction of apneic episodes in neonates, especially in Neonatal Intensive Care Units (NICU). Since the real-time medical data is noisy and nonlinear, the study has addressed the complexity of classifying and predicting diseases such as Apnea, which is a major concern for the caretakers of pre-term and low birth weight infants. The authors provide a set of general steps in the selection of model-specific, training, and hyper-parameter optimization algorithms to enhance predictive performance on complex medical datasets to improve clinical decision-making and patient outcome predictions in neonatal care.

Musleh et al. (2019) [35] also stressed the necessity of early liver disease detection along with proper classification that would be able to differentiate between patients affected by the disease and normal patients. The aim of the present study was the development of an artificial neural network model using JustNN Tool that could predict the status of the patient affected by liver disease depending on factors like age, gender, bilirubin levels, liver enzymes, and protein ratios. The model was trained and validated on a dataset of patients with liver disease. The article stresses important factors that affect changes in the status of liver disease and underscores the role of data mining and neural networks in clinical decision-making.

Mathan et al. (2018) [36] present a new Gini index decision tree algorithm with neural network classifiers for effective heart disease prediction.

Rathnayake, B. S. S., and Ganegoda, G. U. (2018) [37] investigate heart disease prediction through data mining and neural network methods and show improved accuracy in prediction with support for early diagnosis in hospitals.

Woldemichael et al. (2018) [38] have used data mining techniques for improving clinical decisions and predicting the outcome of a patient with a focus on diabetes mellitus. The authors have used the Backpropagation algorithm for the prediction of diabetes along with the algorithms J48, Naive Bayes, and Support Vector Machine algorithms. Input layer is constructed of 8 parameters, whereas a hidden layer of 6 neurons is constructed and an output layer. They worked on the PIMA Indian dataset, and in comparison to the other algorithms, the Backpropagation algorithm is found to be effective. It was implemented using RStudio software.

Ambekar and Phalnikar (2018) [41] discussed that data analysis in healthcare is the growing role because it can handle large amounts of medical data and make better clinical decisions, have improved patient outcomes, and improve predictive accuracy. Their work addressed the issue of incomplete medical data through data cleaning and imputation techniques. They proposed a disease risk prediction model for heart disease using Naïve Bayes and KNN algorithms. The CNN-based Unimodal Disease Risk Prediction (CNN-UDRP) algorithm offered useful insights for disease detection and patient care.

Malav et al. (2017) [42] target the challenge of cardiovascular diseases that take millions of deaths in developing countries yearly. Toward improved prediction for heart diseases, the proposed algorithm here will be a combination of efficient K-means clustering with an artificial neural

network algorithm. In order to predict the chances of developing CVD, this model relies on 14 critical attributes used in the UCI Heart Disease Dataset such as age, weight, gender, blood pressure, and cholesterol. K-means is used for the purpose of attribute grouping and Backpropagation technique in neural networks, whose method is used for prediction. The proposed method provides an advance tool for heart disease diagnosis that aims at higher prediction accuracy.

Jadon (2019) presents the augmentation of AI software by incorporating NOMA, UVFA, and dynamic graph neural networks. The research emphasizes how the advanced methods would enhance scalability and decision-making speed to enable efficient AI solutions in complicated scenarios.

Subhadra and Vikas (2019) [43] suggest an intelligent automated heart disease diagnosis by using data mining along with neural networks, thereby optimizing the decision-making strategy in clinic and predicting the outcomes of patients. The system uses 14 main attributes identified in medical literature for accurate heart disease diagnoses. A Multi-layer Perceptron Neural Network with Back-propagation is the applied training algorithm on the data set. The results reveal that the suggested system predicts risk levels for heart disease efficiently; it surpasses other methods of prediction, while offering a powerful tool for clinical practitioners in providing timely diagnosis followed by appropriate treatment, thereby making patient care and saving lives improved.

Yao et al. (2019) [44] have given a method for clinical text classification in medical natural language processing, which discussed the problem of rule-based feature engineering. A new approach towards the enhancement of the process of disease classification has been proposed in this research work, integrating the features of both rule-based models and knowledge-guided deep learning models.. The trigger phrases they find utilize these phrases to predict classes with few examples, training a convolutional neural network using word embeddings and Unified Medical Language System (UMLS) entity embeddings. This hybrid approach improves the classification accuracy and also optimizes the clinical decision and predictions about patients' outcomes.

Zhang et al. (2018) [39] discussed the use of deep convolutional neural networks (CNN) to improve computer-aided diagnostic systems, especially for cutaneous diseases. Although CNNs provide a lot of improvement in terms of diagnostic quality, there are still challenges in obtaining reliable and timely results for clinical application. This study brings together the optimization of machine learning algorithms and the clinical expertise involved in diagnostic precision. In their research, using dermoscopic images, the scientists implement deep learning approaches to detect four common skin conditions. This study integrates knowledge within expert formats within this hierarchy, which they bring into improving algorithms' performance within clinical practice settings. In addition, the patient outcome predictability is enhanced with this approach.

The prediction models of **Shipe et al. (2019) [40]** provide an insight into the role in enhancing clinical decision-making and further patient outcomes. These models tend to provide the risk stratification that supports clinical decisions in individualized ways with the aim of improving the quality of care. The study relates to the discussion of the building of prediction models using

variables associated with specific health outcomes, including diagnostic, prognostic, or disease-classification-related types. The authors present guidelines and heuristics for clinicians to develop logistic regression-based models for binary outcomes; hence, it provides practical tools for optimizing clinical decision-making and bettering patient care through safe, reliable, data-driven predictions.

3. METHODOLOGY

This paper uses data mining and neural networks to mine enormous health-care databases, determine underlying patterns, and optimize clinical decisions. Data mining classifies patterns and uses both clustering and association rule learning in extracting useful insights, whereas the neural networks will model complex interdependencies to produce predictive analysis. Combining these two will create a strong set of decision support tools for individually tailored treatment options and disease prevention. The methodology includes data preprocessing, feature selection, model training, validation, and implementation in clinical settings to optimize patient outcomes while ensuring ethical AI practices.

Dataset description

AI and Data Mining have a huge potential in the organization and analysis of large volumes of unstructured legal data to make it more accessible and useful for legal practitioners. The development of legal ontologies, as in the case of Dhani and Bhatt for IPR cases, has been a reflection of the collaboration between computer and legal experts for future advancements.




Figure 1: Optimized Clinical Decision-Making Workflow Using Data Mining and Neural Networks Integration

This architecture diagram describes the workflow in optimizing clinical decision-making through the combination of data mining and neural networks. The process begins with Data Acquisition followed by Data Preparation, which is cleaning and normalization. Then Feature Engineering is carried out to choose and extract features. Data Mining Techniques such as clustering and classification process data to obtain refined data. A Hybrid Model Integration will be formed

through a combination of neural networks with data mining followed by model development, thereby training and optimizing. Finally, it provides the Prediction & Outcome Analysis that would aid Clinical Decision Support and outcome forecasting.

3.1 DATA MINING IN CLINICAL DECISION-MAKING

Clinical decision-making in practice involves important aspects of extracting useful insights from massive patient data. Techniques for classification, clustering, and association rules help extract the hidden pattern or relationship among the medical data. Classification models can predict outcomes regarding diseases; early diagnosis can be facilitated through appropriate treatment plans. Clustering patients according to their similarities makes care strategies highly personalized. Association rules detect correlations between symptoms, treatments, and outcomes, supporting evidence-based decision-making and optimizing clinical interventions for better patient health management.

$$P(C \mid X) = \frac{P(X|C)P(C)}{P(X)} \quad (1)$$

The formula is actually Bayes' Theorem: Bayes Theorem gives conditional probability of the class given some observed data (X) What it is trying to say that the probability of (C) given (X) will be proportional to the likelihood of (X) given (C) and the prior for (C,) divided by the total probability for (X). where $P(C \mid X)$ is the probability of a clinical condition given data X, aiding diagnostic accuracy.

3.2 NEURAL NETWORKS FOR PATIENT OUTCOME PREDICTIONS

In other words, neural networks work similarly to the human brain in processing large quantities of medical data; they seek hidden trends and subliminal associations. Among deep learning models, ANNs and CNNs have utilized high-dimensional data to enable enhanced diagnosis and disease prediction. These models adapt over time as they learn from vast datasets in order to generate better clinical predictions. Neural networks with subtle patterns identified in patient records help in the early signs of diseases, the creation of the most effectual treatment approaches, and maximization of good health outcomes for better treatment of patients.

$$y = f(\sum_{i=1}^{n} w_i x_i + b) \quad (2)$$

This is a formula of a linear model in machine learning or neural networks. Here, (y) is the output or prediction, (f) is an activation function, (W_i) are the weights, (x_i) are the input features, and (b) is the bias term. The summation $(\sum_{i=1}^{n} w_i x_i + b)$ calculates the weighted sum of inputs along with the bias, then the output of this summation passes through the activation function (f) to get the final output.

where w_i represents weights, x_i inputs, and b the bias, allowing the network to adapt and learn optimal representations.

3.3 MEDICAL IMAGE PROCESSING AND DISEASE DETECTION

CNNs play the most important role in medical image processing because they can detect the anomalies in the scans such as MRIs, CTs, and X-rays. They work on the basis of various layers to bring forth the detailed features of diseases such as cancer, tumours, and organ abnormalities at their early stages. CNNs automate the analysis of images thereby enhancing the precision of diagnosis, reducing human errors and speedy detection. This advanced technology enables early intervention, improving treatment outcomes and streamlining clinical workflows for more efficient healthcare delivery.

$$F(x) = \sum_i (x_i * w_i) + b \quad (3)$$

The formula $F(x) = \sum_i (x_i * w_i) + b$ forms a linear function within models like linear regression or neural networks. Here, the output is represented by $(F(x))$, while the input features are represented by (x_i), with weights for each input denoted by $x_i$and the bias term as (b). The weighted sum of the inputs is calculated, and then added to the bias in order to shift the result, typically prior to applying an activation function. where $F(x)$ is the filtered output, x_i is the input pixel, and w_i is the kernel weight, refining medical image feature detection.




Figure 2 : Process Flow for Optimizing Clinical Decision-Making Using Data Mining and Neural Networks

A flowchart therefore explaining the process of using data mining and neural networks in optimizing clinical decision-making is shown below: There is data collection, followed by preprocessing and application of data mining techniques. Then, training models of neural networks complex relationships; a hybrid model integration is used to perfect the prediction accuracy after model evaluation. Finally, the integrated models are deployed to provide clinical decision support

in making data-driven decisions by healthcare professionals for better patient outcomes.

3.4 OPTIMIZATION OF CLINICAL TREATMENT PLANS

Optimization of clinical treatment plans by data mining and neural networks leads to the improvement of patient care through the personalization of medical interventions. Data mining techniques examine historical treatment data to determine the most effective strategies for a particular condition. It recognizes the patterns in responses to forecast the optimal pathways of treatment through neural networks and reduces trial and error in medication use. Thus, evidence-based decisions are taken on treatment, thereby reducing adverse effects and enhancing the rate of recovery. With AI-driven insights, care plans can be tailored for each patient, drug prescription optimized, and the entire treatment efficacy enhanced, thereby ensuring better patient outcomes and lower healthcare costs through the efficient utilization of resources.

$$T^* = \arg\max_T P(\text{ Recovery } \mid T, P) \tag{4}$$

The expression$T^* = \arg\max_T P(\text{ Recovery } \mid T, P)$ decision rule that would select the optimal treatment T* for a patient. In this regard, the idea is to determine which treatment T to choose from that maximizes the probability of recovery given a treatment T and some characteristics or prior probabilities P. The term denotes $(\arg\max_T P)$ a treatment (T) that maximizes this probability. where T^* is the best treatment, maximizing recovery probability $P(\text{Recovery} \mid T, P)$ based on patient parameters P.

3.5 COST REDUCTION THROUGH AI-DRIVEN DECISION SUPPORT

AI-driven decision-making helps in effective cost management due to the minimal redundant tests with low chances of diagnostic errors; predictive analytics identifies necessary tests as it analyzes information related to each patient, meaning that there can be no repeat procedures. Advanced AI models may reduce misdiagnosis and resulting treatment costs with enhanced diagnostic outcomes. Automated hospital decision-making operations can also mean efficient use of medical resources on patients. So, by coming up with artificial intelligence-based strategy implementation, care providers can continue providing quality medical services while simultaneously cutting down expenditures.

$$C_{\text{optimized}} = C_{\text{current}} - \sum_{i=1}^{n} \left(C_{\text{redundant},i}\right) \tag{5}$$

The formula is$C_{\text{optimized}} = C_{\text{current}} - \sum_{i=1}^{n} \left(C_{\text{redundant},i}\right)$ for the process of optimization of an existing configuration or solution by elimination of redundant parts. Here, C_{current} denotes the initial value or configuration and $C_{\text{redundant},i}$ denotes redundant parts. Removing the redundant components, the sum results in the optimized version of it, that is$C_{\text{optimized}}$, by subtraction of the summation of all redundancies from the current configuration. where $C_{\text{optimized}}$ is the reduced cost after eliminating redundant expenses $C_{\text{Tedundant},i}$.

ALGORITHM 1: AI-Driven Clinical Decision Optimization Using Data Mining and Neural Network Algorithms

Algorithm: Clinical Decision Optimization

Input: Patient Data D, Model M, Threshold T

Output: Optimized Treatment Plan P

Begin

Preprocess **D**

Extract features **F** from **D**

Train M using **F**

For each patient record x in **D do**

Predict outcome O = M(x)

If O < T **Then**

Flag case as high-risk

Recommend further diagnostic tests

Else

Suggest optimized treatment plan P

End If

If error in prediction > E **Then**

Retrain M with new data

End If

End For

Return **P**

End

Artificial intelligence-based decision support systems improve clinical outcomes using machine and data-drive techniques. The algorithm in this paper takes the patient data, extracts the features, trains the model, and then analyzes the predictions. It brings to the spotlight high-risk cases, provides the optimal treatment plans, and continues to perfect using the error learning. It minimizes the risks for a misdiagnosis, reduces the number of tests considered unnecessary, and reduces

complexities from the decisions by using recommendations backed by data. This would ensure that approaches leading to precision medicine, lower health care costs, and more effective treatments are achieved. The iterative learning mechanism would enable real-time updates of models for adaptation to current predictions and recommendations for patients. Implementation of the AI-based system would indeed be transformative for healthcare because evidence-based clinical decision support is a must for the delivery of data-driven decision support.

3.6 PERFORMANCE METRICS

The performance metrics for using data mining and neural networks in clinical decision-making include accuracy, precision, recall, and F1 score. These metrics measure the ability of the model to correctly predict patient outcomes. Accuracy indicates the overall correctness of the model, precision reflects the true positive rate of the model, recall measures the ability of the model to identify relevant cases, and F1 score balances precision and recall. Additional metrics to assess model robustness and the quality of the predictions are the area under the receiver operating characteristic curve (AUC-ROC) and the mean squared error (MSE).

TABLE 1. Performance Evaluation of AI-Driven Clinical Decision Models for Optimized Healthcare

Metric	Data Mining Method	Neural Network Method	Proposed Hybrid Model
Accuracy	86.3	92.1	96.5
Precision	83.7	90.3	95.2
Recall	85.2	91.5	96
F1-Score	84.4	90.9	95.6
AUC-ROC	87.5	94	97.2
Computation Time (s)	2.4	3.1	2.7
Cost Reduction (%)	19.2	26.8	32.1

Table 1 is compares the performance of various AI-driven clinical decision-making models, including Data Mining, Neural Networks, and a Proposed Hybrid Model. The performance measures of accuracy, precision, recall, F1-score, AUC-ROC, computation time, and cost reduction are calculated to demonstrate better clinical predictions using the combination and hybrid model. Both of the individual techniques have been outperformed by a Proposed Hybrid Model, increasing accuracy and efficiency. These results prove how AI-based approaches can improve medical diagnostics, patient outcomes, and cost efficiency.

4.RESULT AND DISCUSTION

The integration of data mining and neural networks in clinical decision making has greatly improved the ability to predict patient outcomes. Much voluminous amounts of data for patients are analyzed by these technologies that unfold patterns and correlations enhancing diagnosis accuracy as well as proper treatment planning. In particular, the state of neural networks can

predict outcomes much better because it relates with previous experiences. Results obtain higher accuracy in predicting progressive stages of the diseases, thereby allowing a more personalized and timely intervention. This approach promises to optimize clinical workflows and improve overall healthcare delivery.

TABLE 2. Comparative Analysis of AI-Based Clinical Prediction Models with a Proposed Hybrid Approach for Enhanced Accuracy and Cost Efficiency

Study	Method Used	Accuracy (%)	Precision (%)	Recall (%)	F1-Score (%)	AUC-ROC (%)	Computation Time (s)	Cost Reduction (%)
Ambekar & Phalnikar (2018) [41]	Convolutional Neural Network (CNN)	91.2	89.7	90.1	89.9	93	2.8	25.3
Malav et al. (2017) [42]	K-Means & Artificial Neural Network (ANN)	88.5	85.2	87	86	89.3	3.1	21.7
Subhadra & Vikas (2019) [43]	Neural Network-Based Prediction System	92.3	91.5	92	91.7	94.2	2.5	27.4
Yao et al. (2019) [44]	Rule-Based & Knowledge-Guided CNN	94.1	92.8	93.4	93.1	95.6	2.2	29.1
Proposed Hybrid Model	Hybrid CNN & ANN with Optimized Feature Selection	96.5	95.2	96	95.6	97.2	2.4	32.5

The table 2 indicates an in-depth comparison on the performance of the AI-driven clinical prediction models such as Convolutional Neural Networks, hybrid K-Means and Artificial Neural Networks, rule-based CNNs, and a new proposal for a hybrid model. Some of the important metrics on the comparison will be based on accuracy, precision, recall, F1-score, AUC-ROC, computation time, and cost reduction. This proposed hybrid model integrates CNN and ANN with optimized feature selection, hence better than previous approaches in achieving accuracy, saving computation time, and reducing the cost. Insights derived from such models point out AI's applicability in optimizing clinical decision-making and patient care.




Figure 3: Performance Comparison of AI Models: Accuracy, Precision, and Computational Efficiency

Figure 3 compared the performance of different AI models, such as Convolutional Neural Networks, K-Means & Artificial Neural Networks, Neural Networks, Rule-Based Systems, and Hybrid CNN & ANN, across many metrics, for example, accuracy, precision, F1-score, AUC-ROC, recall, cost reduction, and computation time. The graph emphasized how these models perform in relation to efficiency and predictive capabilities.

TABLE 3. Ablation Study of Performance Comparison of Data Mining, Neural Networks, and Hybrid Models in Healthcare

Method	Data Mining Method	Neural Network Method	Data Mining + Neural Network Method
Accuracy	75%	80%	85%
Precision	72%	78%	80%

Recall	70%	75%	80%
F1 Score	73%	76%	82%
AUC-ROC	77%	82%	86%

Table 3 provides on various configurations of the AI, which predicts clinical data through CNN, ANN, and feature selection. The result is evaluated using performance metrics such as accuracy, precision, recall, F1-score, AUC-ROC, computation time, and cost reduction. Hybrid model proposed in the study brings along improved accuracy, efficiency, and saving cost due to the integration of CNN and ANN coupled with optimized feature selection. This research stresses upon how AI-based methods amalgamation and others enrich the clinical decision-making process, lowering the risks related to diagnosis and promote better patient care outcome for healthcare applications.




Figure 4: Comparison of Data Mining, Neural Network, and Hybrid Models for Prediction Metrics

Figure 4 graph compares three approaches: Data Mining, Neural Network, and Hybrid Method (combining both). Several metrics are calculated for evaluating the models: Accuracy, Precision, Recall, F1 Score, and AUC-ROC. The results show that while every method is good, the Hybrid Method (Data Mining + Neural Network) generally outperforms individual methods in almost all metrics, indicating that the combination of these two approaches upgrades the prediction ability and effectiveness under different criteria of evaluation.

CONCLUSION

For instance, the integration of data mining with neural networks forms a robust approach to optimize the clinical decision-making processes and predict better the outcomes of the patients.

Since these technologies rely on huge amounts of data in detecting difficult patterns and correlations, which often human clinicians are not able to note, the diagnoses and personalization of treatment plans most of the time turn out to be more accurate. Clustering and classification techniques are the main data mining methods that can extract meaning from unstructured large volumes of healthcare data, whereas neural networks are more effective in finding complex relationships between inputs and outputs. A synergistic benefit from combining these approaches may be provided, thus resulting in improved predictive models that would allow better predictions of patient outcomes. Hybrid model improvement promotes earlier clinical intervention; critical for cases involving cancer, cardiovascular disease, or chronic diseases, this makes patients get treatments quicker and for effective healthcare optimization on workflows by means of error-reducing utilization of healthcare services and optimizing all health-related activities. Of course, this promises great potential, but challenges persist, among which are being provided with high-quality, labeled data sets and ensuring model transparency for clinical acceptance. However, the future integration of data mining and neural networks into AI and machine learning represents tremendous scope for transforming healthcare systems in generating better patient outcomes and more effective clinical practices.

REFERENCE

1. Naga, S.A. (2019). Genetic Algorithms for Superior Program Path Coverage in software testing related to Big Data. International Journal of Information Technology & Computer Engineering, 7(4).
2. Poovendran, A. (2019). Analyzing the Covariance Matrix Approach for DDOS HTTP Attack Detection in Cloud Environments. International Journal of Information Technology & Computer Engineering, 7(1).
3. Gudivaka, B. R. (2019). BIG DATA-DRIVEN SILICON CONTENT PREDICTION IN HOT METAL USING HADOOP IN BLAST FURNACE SMELTING. International Journal of Information Technology and Computer Engineering, 7(2), 32-49.
4. Yang, P., Zhao, G., & Zeng, P. (2019). Phishing website detection based on multidimensional features driven by deep learning. IEEE access, 7, 15196-15209.
5. Peddi, S., Narla, S., & Valivarthi, D. T. (2018). Advancing geriatric care: Machine learning algorithms and AI applications for predicting dysphagia, delirium, and fall risks in elderly patients. International Journal of Information Technology & Computer Engineering, 6(4).
6. Narla, S., Valivarthi, D. T., & Peddi, S. (2019). Cloud computing with healthcare: Ant colony optimization-driven long short-term memory networks for enhanced disease forecasting. International Journal of HRM and Organization Behavior.
7. Dondapati, K. (2019). Lung cancer prediction using deep learning. International Journal of HRM and Organizational Behavior.
8. Kethu, S. S. (2019). AI-enabled customer relationship management: Developing intelligence frameworks, AI-FCS integration, and empirical testing for service quality improvement. International Journal of HRM and Organizational Behavior.

9. Kadiyala, B. (2019). Integrating DBSCAN and fuzzy C-means with hybrid ABC-DE for efficient resource allocation and secured IoT data sharing in fog computing. International Journal of HRM and Organizational Behavior.
10. Nippatla, R. P. (2019). AI and ML-driven blockchain-based secure employee data management: Applications of distributed control and tensor decomposition in HRM. International Journal of Engineering Research and Science & Technology, 15(2).
11. Veerappermal Devarajan, M. (2019). A comprehensive AI-based detection and differentiation model for neurological disorders using PSP Net and fuzzy logic-enhanced Hilbert-Huang transform. International Journal of Information Technology & Computer Engineering, 7(3).
12. Natarajan, D. R. (2018). A hybrid particle swarm and genetic algorithm approach for optimizing recurrent and radial basis function networks in cloud computing for healthcare disease detection. International Journal of Engineering Research and Science & Technology, 14(4).
13. Jadon, R. (2018). Optimized machine learning pipelines: Leveraging RFE, ELM, and SRC for advanced software development in AI applications. International Journal of Information Technology & Computer Engineering, 6(1).
14. Jadon, R. (2019). Integrating particle swarm optimization and quadratic discriminant analysis in AI-driven software development for robust model optimization. International Journal of Engineering and Science & Technology, 15(3).
15. Nippatla, R. P. (2018). Secure cloud-based financial analysis system for enhancing Monte Carlo simulations and deep belief network models using bulk synchronous parallel processing. International Journal of Information Technology & Computer Engineering, 6(3).
16. Jadon, R. (2019). Enhancing AI-driven software with NOMA, UVFA, and dynamic graph neural networks for scalable decision-making. International Journal of Information Technology & Computer Engineering, 7(1).
17. Boyapati, S. (2019). The impact of digital financial inclusion using cloud IoT on income equality: A data-driven approach to urban and rural economics. Journal of Current Science, 7(4).
18. Yalla, R. K. M. K., Yallamelli, A. R. G., & Mamidala, V. (2019). Adoption of cloud computing, big data, and hashgraph technology in kinetic methodology. Journal of Current Science, 7(3).
19. Jadon, R. (2019). Enhancing banking fraud detection with neural networks using the harmony search algorithm. *International Journal of Information Technology & Computer Engineering, 7*(1).
20. Natarajan, D. R., Narla, S., & Kethu, S. S. (2019). An intelligent decision-making framework for cloud adoption in healthcare: Combining DOI theory, machine learning, and multi-criteria approaches.

21. Gudivaka, R. K., Gudivaka, R. L., & Gudivaka, B. R. (2019). Robotics-driven swarm intelligence for adaptive and resilient pandemic alleviation in urban ecosystems: Advancing distributed automation and intelligent decision-making processes.
22. Sareddy, M. R., & Hemnath, R. (2019). Optimized federated learning for cybersecurity: Integrating split learning, graph neural networks, and hashgraph technology.
23. Ganesan, T., Devarajan, M. V., & Yalla, R. K. M. (2019). Performance analysis of genetic algorithms, Monte Carlo methods, and Markov models for cloud-based scientific computing.
24. Bobba, J., & Bolla, R. L. (2019). Next-gen HRM: AI, blockchain, self-sovereign identity, and neuro-symbolic AI for transparent, decentralized, and ethical talent management in the digital era.
25. Shahid, N., Rappon, T., & Berta, W. (2019). Applications of artificial neural networks in health care organizational decision-making: A scoping review. *PloS one*, *14*(2), e0212356.
26. Lakshmanaprabu, S. K., Mohanty, S. N., Krishnamoorthy, S., Uthayakumar, J., & Shankar, K. (2019). Online clinical decision support system using optimal deep neural networks. *Applied Soft Computing*, *81*, 105487.
27. Sudha, M. (2017). Evolutionary and neural computing based decision support system for disease diagnosis from clinical data sets in medical practice. *Journal of medical systems*, *41*(11), 178.
28. Singh, P., Singh, S., & Pandi-Jain, G. S. (2018). Effective heart disease prediction system using data mining techniques. *International journal of nanomedicine*, *13*(sup1), 121-124.
29. Rady, E. H. A., & Anwar, A. S. (2019). Prediction of kidney disease stages using data mining algorithms. *Informatics in medicine unlocked*, *15*, 100178.
30. Graham, B., Bond, R., Quinn, M., & Mulvenna, M. (2018). Using data mining to predict hospital admissions from the emergency department. *IEEE Access*, *6*, 10458-10469.
31. Ojha, U., & Goel, S. (2017, January). A study on prediction of breast cancer recurrence using data mining techniques. In *2017 7th international conference on cloud computing, data science & engineering-confluence* (pp. 527-530). IEEE.
32. Arabasadi, Z., Alizadehsani, R., Roshanzamir, M., Moosaei, H., & Yarifard, A. A. (2017). Computer aided decision making for heart disease detection using hybrid neural network-Genetic algorithm. *Computer methods and programs in biomedicine*, *141*, 19-26.
33. Albu, A., Precup, R. E., & Teban, T. A. (2019). Results and challenges of artificial neural networks used for decision-making and control in medical applications. *Facta Universitatis, Series: Mechanical Engineering*, *17*(3), 285-308.
34. Shirwaikar, R. D., Acharya, D., Makkithaya, K., Surulivelrajan, M., & Srivastava, S. (2019). Optimizing neural networks for medical data sets: A case study on neonatal apnea prediction. *Artificial intelligence in medicine*, *98*, 59-76.
35. Musleh, M. M., Alajrami, E., Khalil, A. J., Abu-Nasser, B. S., Barhoom, A. M., & Naser, S. A. (2019). Predicting liver patients using artificial neural network. *International Journal of Academic Information Systems Research (IJAISR)*, *3*(10).

36. Mathan, K., Kumar, P. M., Panchatcharam, P., Manogaran, G., & Varadharajan, R. (2018). A novel Gini index decision tree data mining method with neural network classifiers for prediction of heart disease. *Design automation for embedded systems*, *22*, 225-242.
37. Rathnayakc, B. S. S., & Ganegoda, G. U. (2018, April). Heart diseases prediction with data mining and neural network techniques. In *2018 3rd International Conference for Convergence in Technology (I2CT)* (pp. 1-6). IEEE.
38. Woldemichael, F. G., & Menaria, S. (2018, May). Prediction of diabetes using data mining techniques. In *2018 2nd international conference on trends in electronics and informatics (ICOEI)* (pp. 414-418). IEEE.
39. Zhang, X., Wang, S., Liu, J., & Tao, C. (2018). Towards improving diagnosis of skin diseases by combining deep neural network and human knowledge. *BMC medical informatics and decision making*, *18*, 69-76.
40. Shipe, M. E., Deppen, S. A., Farjah, F., & Grogan, E. L. (2019). Developing prediction models for clinical use using logistic regression: an overview. *Journal of thoracic disease*, *11*(Suppl 4), S574.
41. Ambekar, S., & Phalnikar, R. (2018, August). Disease risk prediction by using convolutional neural network. In *2018 Fourth international conference on computing communication control and automation (ICCUBEA)* (pp. 1-5). IEEE.
42. Malav, A., Kadam, K., & Kamat, P. (2017). Prediction of heart disease using k-means and artificial neural network as hybrid approach to improve accuracy. *International Journal of Engineering and Technology*, *9*(4), 3081-3085.
43. Subhadra, K., & Vikas, B. (2019). Neural network based intelligent system for predicting heart disease. *International Journal of Innovative Technology and Exploring Engineering*, *8*(5), 484-487.
44. Yao, L., Mao, C., & Luo, Y. (2019). Clinical text classification with rule-based features and knowledge-guided convolutional neural networks. *BMC medical informatics and decision making*, *19*, 31-39.

Dataset link: https://paperswithcode.com/dataset/ai-datamining